

SMUD LED Lighting Program Qualified Product list

October 15, 2009

Manufacturer	Product #	Length (ft)	End bar or center bar fixture?	Color Temp (K)	Approved as a dimmable system?	Rebate per door
1 Source Electrical Contractors, Inc.	1LB56(L/R)24V12W35KKBK	5	end	3700	no	\$100
1 Source Electrical Contractors, Inc.	1LB56M24V24W35KKBK	5	center	3700	no	\$100
1 Source Electrical Contractors, Inc.	2LB56(L/R)24V12W41KKBK	5	end	4100	no	\$100
1 Source Electrical Contractors, Inc.	2LB56M24V30W41KKBK	5	center	4100	no	\$100
1 Source Electrical Contractors, Inc.	1LB68(L/R)24V15W35KKBK	6	end	3600	no	\$100
1 Source Electrical Contractors, Inc.	1LB68M24V30W35KKBK	6	center	3600	no	\$100
1 Source Electrical Contractors, Inc.	2LB68(L/R)24V15W41KKBK	6	end	4100	no	\$100
1 Source Electrical Contractors, Inc.	2LB68M24V30W41KKBK	6	center	4100	no	\$100
Innovative Lighting Inc. EcoBrite	EcoBrite 750-5260-1	5	both	4005	no	\$100
Innovative Lighting Inc. EcoBrite	EcoBrite 750-5272-1	6	both	4005	no	\$100
Efficient Lights LLC	585-15L-0024	5	both	4005	no	\$100
Efficient Lights LLC	699-18L-0024	6	both	4005	no	\$100
ElectraLED	LS-C5-4200 CB	5	center	4334	no	\$100
ElectraLED	LS-C5-4200 EB	5	end	4334	no	\$100
ElectraLED	ELS-C5-3500K	5	center	3527	yes (1)	\$120
ElectraLED	ELS-C5-4200K	5	center	4311	yes (1)	\$120
ElectraLED	ELS-R(L) 5-3500K	5	end	3546	yes (1)	\$120
ElectraLED	ELS-R(L) 5-4200K	5	end	4302	yes (1)	\$120
ElectraLED	ELS-C6-3500K	6	center	3527	yes (1)	\$120
ElectraLED	ELS-C6-4200K	6	center	4311	yes (1)	\$120
ElectraLED	ELS-R(L) 6-3500K	6	end	3546	yes (1)	\$120
ElectraLED	ELS-R(L) 6-4200K	6	end	4302	yes (1)	\$120

**SMUD LED Lighting Program
Qualified Product list**

October 15, 2009

Manufacturer	Product #	Length (ft)	End bar or center bar fixture?	Color Temp (K)	Approved as a dimmable system?	Rebate per door
GE Lumination	GE-LT-306035CTR-SY	5	center	3500	no	\$100
GE Lumination	GE-LT-306035EDL/DR-SY	5	end	3500	no	\$100
GE Lumination	GE-LT-306041CTR-SY	5	center	4100	no	\$100
GE Lumination	GE-LT-306041EDL/DR-SY	5	end	4100	no	\$100
GE Lumination	GE-LT-306050CTR-SY	5	center	5000	no	\$100
GE Lumination	GE-LT-306050EDL/DR-SY	5	end	5000	no	\$100
GE Lumination	GE-LT-307035CTR-SY	6	center	3500	no	\$100
GE Lumination	GE-LT-307035EDL/DR-SY	6	end	3500	no	\$100
GE Lumination	GE-LT-307041CTR-SY	6	center	4100	no	\$100
GE Lumination	GE-LT-307041EDL/DR-SY	6	end	4100	no	\$100
GE Lumination	GE-LT-307050CTR-SY	6	center	5000	no	\$100
GE Lumination	GE-LT-307050EDL/DR-SY	6	end	5000	no	\$100

SMUD LED Lighting Program Qualified Product list

October 15, 2009

Manufacturer	Product #	Length (ft)	End bar or center bar fixture?	Color Temp (K)	Approved as a dimmable system?	Rebate per door
Hussmann	EcoShine 4441328	5	center	3500	no	\$100
Hussmann	EcoShine 4441329	5	end	3500	no	\$100
Hussmann	EcoShine 4441330	5	center	4100	no	\$100
Hussmann	EcoShine 4441331	5	end	4100	no	\$100
Hussmann	EcoShine 4441394	5	center	3500	no	\$100
Hussmann	EcoShine 4441395	5	end	3500	no	\$100
Hussmann	EcoShine 4441396	5	center	4100	no	\$100
Hussmann	EcoShine 4441397	5	end	4100	no	\$100
Hussmann	EcoShine 4441601	5	center	3500	no	\$100
Hussmann	EcoShine 4441602	5	end	3500	no	\$100
Innovative Lighting Inc.	EcoBrite 750-5260-1	5	both	4100	no	\$100
Innovative Lighting Inc.	EcoBrite 750-5272-1	6	both	4100	no	\$100
LED Power	DFB30L-276-35K-100-24	5	center	3500	no	\$100
LED Power	DFB30L-276-35K-100-24-Lens	5	center	3500	no	\$100
LED Power	DFB30L-276-41K-100-24	5	center	4100	no	\$100
LED Power	DFB30L-276-41K-100-24-lens	5	center	4100	no	\$100
Q-Technology Inc.	Crossfire #5160-120-L / R	5	end (use two fixtures for center)	4344	no	\$100
Q-Technology Inc.	Crossfire #6160-120-L / R	6	end (use two fixtures for center)	4300	no	\$100

(1) Approval for ElectraLED as a dimming system is contingent upon use with ELS-C-1200 dimming module and WattStopper FS-705 sensors

The information in this table is provided by SMUD as a service to our customers. SMUD does not endorse products or manufacturers. Mention of any particular product or manufacturer in this table should not be construed as an implied endorsement.