

Exhibit to Agenda Item #1

Accept the monitoring report for **Strategic Direction SD-19, Diversified Business.**

Board Policy Committee and Special SMUD Board of Directors Meeting
March 10, 2021, scheduled to begin at 5:30 p.m.

Virtual Meeting (online)

Background – Revenue Portfolios

Legacy Revenue Program Portfolio

- To improve customer satisfaction
- Intended to be self-sustaining after 5 years
- Shares costs across many programs

Innovation Generator Program Portfolio

- To promote innovative product and service development
- Revenue secondary
- Most not expected to generate revenue
- Program sunset in 2018 and New Business Development (NBD) Program formed

New Revenue Program Portfolio

- NBD Program focused on new revenue for SMUD
- “Middle Office” responsible for developing, assessing, negotiating and tracking all new revenue deals
- New revenue projects included in this portfolio


Three Revenue Portfolios

New Revenue Program	Innovation Generator Program	Legacy Revenue Programs
<ol style="list-style-type: none"> 1. Community Energy Services 2. NEC/STI Partnership 3. Sacramento Power Academy (SPA) 4. Smart Grid Billing 5. OSI/DERMS Co-Development 6. GridX 	<ol style="list-style-type: none"> 1. Advanced Power Strips 2. DER Planning Software 3. GridPoint 4. Intelligent Energy Solutions 5. Kandela 	<ol style="list-style-type: none"> 1. Cell Site Construction 2. Energy Profiler 3. Home Power 4. Moving Connections 5. Power Protection

New Revenue Program: Portfolio Risk


- New Revenue Portfolio risk is determined using Enterprise Risk methodology
- No new project were added to portfolio in 2020
- No changes were made to risk rating from 2018 or 2019
- Risk still deemed low

Revenue By Portfolios – 2020



New Revenue Program – 2020

2020 New Revenue Program Portfolio



- Portfolio generated \$2M net positive revenue for first time since inception in 2018
- Community Energy Services program largest contributor to 2020 financial performance

Recommendation

- SMUD is in compliance with SD-19
- Recommend Board accept 2020 SD-19 Monitoring Report